according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Sika® Aktivator-205

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

Product use : Pretreatment agent

# 1.3 Details of the supplier of the safety data sheet

Company : Sika Netherlands BV

Zonnebaan 56 3542 EG Utrecht

Telephone : +31302410120 E-mail address : EHS@nl.sika.com

## 1.4 Emergency telephone number

Emergency telephone num: +31570854201

ber

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Type of product : Mixture

## Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single exH319: Causes serious eye irritation.
H336: May cause drowsiness or dizziness.

posure, Category 3, Central nervous

system

## Classification (67/548/EEC, 1999/45/EC)

Highly flammable R11: Highly flammable.

Irritant R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizzi-

ness.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

Hazard pictograms





Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements : **Prevention:** 

P210 Keep away from heat/sparks/open

flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P261 Avoid breathing dust/ fume/ gas/ mist/ va-

pours/ spray.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin

with water/shower.

P312 Call a POISON CENTER or doctor/ physi-

cian if you feel unwell.

P370 + P378 In case of fire: Use dry sand, dry chemical

or alcohol-resistant foam to extinguish.

Hazardous components which must be listed on the label:

• 200-661-7 isopropanol

#### 2.3 Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Hazardous components**

Chemical Name CAS-No. EC-No.	Classification (67/548/EEC)	Classification (REGULATION (EC) No	Concentration [%]
Registration number		1272/2008)	
isopropanol 67-63-0 200-661-7 01-2119457558-25-XXXX	F; R11 Xi; R36 R67	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336	>= 50 - <= 100
titanium tetrabutanolate 5593-70-4 227-006-8 01-2119967423-33-XXXX	Xi; R37/38-R41 R10 R67	Flam. Liq.3; H226 Skin Irrit.2; H315 Eye Dam.1; H318 STOT SE3; H336 STOT SE3; H335	>= 1 - < 2,5

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205



Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eve wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

## 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Excessive lachrymation

Loss of balance

Vertigo

See Section 11 for more detailed information on health effects

and symptoms.

Risks : irritant effects

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam, Carbon dioxide (CO2), Dry chemical

Unsuitable extinguishing

media

: Water

## 5.2 Special hazards arising from the substance or mixture

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Version 1.0 Revision Date 03.03.2015 Print Date 03.03.2015

ucts

Hazardous combustion prod- : No hazardous combustion products are known

#### 5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

> Remove all sources of ignition. Deny access to unprotected persons.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

#### 6.2 Environmental precautions

**Environmental precautions** : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

## 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain spillage, and then collect with non-combustible ab-

sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local

/ national regulations (see section 13).

#### 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist. Avoid exceeding the

given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharge. Open drum carefully as content may be under pressure. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Follow standard hygiene measures when handling chemical

products

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

Advice on protection against

fire and explosion

: Use explosion-proof equipment. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against electrostatic discharges.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Store in cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store

in accordance with local regulations.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

## Personal protective equipment

Eye protection : Safety glasses with side-shields

Eye wash bottle with pure water

Hand protection : Chemical-resistant, impervious gloves complying with an ap-

proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-

facturer specifications.

Suitable for short time use or protection against splashes:

Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed.

Suitable for permanent exposure:

Viton gloves (0.4 mm), breakthrough time >30 min.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing

and stirring work.

Respiratory protection : No special measures required.

#### **Environmental exposure controls**

General advice : Prevent product from entering drains.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : alcohol-like

Odour Threshold : No data available

Flash point : ca. 12 °C

Ignition temperature : No data available

Lower explosion limit : 2 %(V)

Upper explosion limit : 12 %(V)

Flammability (solid, gas) : No data available

Oxidizing properties : No data available

Auto-ignition temperature : No data available

pH : ca. 7

at 20 °C

Melting point/range / Freez-

Freez- : No data available

ing point

Boiling point/boiling range : 82,4 °C

Vapour pressure : ca.45 hPa

Density : ca.0,8 g/cm3

at 20 °C

Water solubility : Note: soluble

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

Partition coefficient: n-

octanol/water

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : < 7 mm2/s

at 40 °C

Relative vapour density : No data available

Evaporation rate : No data available

### 9.2 Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

#### 10.2 Chemical stability

The product is chemically stable.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

# 10.6 Hazardous decomposition products

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Skin corrosion/irritation

**Product:** 

Remarks: No data available

# Serious eye damage/eye irritation

## **Product:**

Remarks: Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

# Respiratory or skin sensitisation

**Product:** 

Remarks: No data available

## Germ cell mutagenicity

**Product:** 

Germ cell mutagenicity- As-

sessment

: No data available

# Carcinogenicity

**Product:** 

Carcinogenicity - Assess-

ment

: No data available

## Reproductive toxicity

**Product:** 

Reproductive toxicity - As-

sessment

: No data available

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data available

## 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

## **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

# 12.6 Other adverse effects

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

No data available

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized

wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

way.

Dispose of surplus and non-recyclable products via a licensed

waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

European Waste Catalogue : 08 01 11\* waste paint and varnish containing organic sol-

vents or other dangerous substances

Contaminated packaging : 15 01 10\* packaging containing residues of or contaminated

by dangerous substances

# **SECTION 14: Transport information**

**ADR** 

**14.1 UN number** : 1219

**14.2 Description of the goods** : ISOPROPANOL

14.3 Class: 314.4 Packing group: IIClassification Code: F1Labels: 3Tunnel restriction code: (D/E)14.5 Environmentally hazard-: no

ous

IATA

**14.1 UN number** : 1219

14.2 Description of the goods : Isopropanol

14.3 Class: 314.4 Packing group: IILabels: 314.5 Environmentally hazard-: no

ous

**IMDG** 

**14.1 UN number** : 1219

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0 Print Date 03.03.2015

14.2 Description of the goods : ISOPROPANOL

 14.3 Class
 : 3

 14.4 Packing group
 : II

 Labels
 : 3

 EmS Number 1
 : F-E

 EmS Number 2
 : S-D

 14.5 Marine pollutant
 : no

#### 14.6 Special precautions for user

No data available

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to EC Directives (1999/45/EC)

Hazard pictograms





Highly flammable

Irritant

R-phrase(s) : R11 Highly flammable.

R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizzi-

ness.

#### Prohibition/Restriction

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances.

preparations and articles (Annex XVII)

: Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: None of the components are listed

(=> 0.1 %).

REACH - List of substances subject to authorisation

(Annex XIV)

: Not applicable

REACH Information: All substances contained in our Products are

- preregistered or registered by our upstream suppliers, and/or

preregistered or registered by us, and/or
excluded from the regulation, and/or
exempted from the registration.

VOC-CH (VOCV) : 97,99 %

VOC-EU (solvent) : 97,99 %

according to Regulation (EC) No. 1907/2006

# Sika® Aktivator-205

Revision Date 03.03.2015 Version 1.0



#### 15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

## **SECTION 16: Other information**

#### **Full text of R-Phrases**

R10 Flammable.
R11 Highly flammable.
R36 Irritating to eyes.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

R67 Vapours may cause drowsiness and dizziness.

#### **Full text of H-Statements**

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.

#### Full text of other abbreviations

Eye Dam. Serious eye damage

Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids
Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version!